

Terrestrial & Palustrine Plant Communities Of Pennsylvania

By Jean Fike

Hemlock (white pine) - northern hardwood forest

Any of the three named components may be dominant; at least two are present in some amount. Conifers and hardwoods each contribute between 25% and 75% of the canopy. Characteristic hardwood species include *Fagus grandifolia* (American beech), *Acer saccharum* (sugar maple), *A. rubrum* (red maple), *Betula lenta* (black birch), and *B. alleghaniensis* (yellow birch). The conifer component may be *Pinus strobus* (eastern white pine), *Tsuga canadensis* (eastern hemlock), or a combination of the two. These forests occur mostly on mesic sites, often north-facing, sometimes rocky and steep. This type is fairly widespread in northern Pennsylvania. *Rhododendron maximum* (rosebay) may be locally abundant. Other common shrubs include *Hamamelis virginiana* (witch-hazel), *Acer pensylvanicum* (moosewood), and Viburnums (*Viburnum* spp.). The herbaceous layer is generally sparse and reflects a northern affinity; common components include *Maianthemum canadense* (Canada mayflower), *Trientalis borealis* (star-flower), *Thelypteris noveboracensis* (New York fern), *Medeola virginiana* (Indian cucumber-root), *Lycopodium lucidulum* (shining clubmoss), *Mitchella repens* (partridge-berry), and *Clintonia borealis* (bluebead lily). There is often a rich bryophyte layer.

Related types: The "Northern hardwood forest" community type has less than 25% combined relative cover by conifers. The "Hemlock (white pine) - red oak - mixed hardwood forest" type is generally dominated by a combination of various oaks—characteristically *Quercus rubra* (red oak), *Tsuga canadensis* (eastern hemlock) and/or *Pinus strobus* (white pine). In the community described here, the same conifers usually share dominance with *Fagus grandifolia* (American beech), *Betula* spp. (birches), and *Acer saccharum* (sugar maple). The understory species associated with this community are likewise more northern in affinity.

Range: Entire state except the Coastal Plain, Piedmont, and South Mountain.

Selected references: Braun 1950, Nichols 1935, Whitney 1990a, 1990b.

[**Crosswalk:** Smith's "Northern Hardwood - Conifer Forest," TNC's *Tsuga canadensis* - *Pinus strobus* Forest Alliance. If split, *Tsuga canadensis* (mesic) Forest Alliance, SAF's Hemlock - yellow birch (24).]